

### LISTING OF CLAIMS

This listing of the claims replaces all prior versions, and listings, of claims in the application:

1. **(Currently Amended)** A wireless communications device comprising at least two distinct communications capabilities configured for use in a wireless network, the wireless device comprising:

at least one processor for controlling operation of the at least two communications capabilities ~~wireless communications device~~;

a first input device coupled to the at least one processor for accepting an input;

at least one display device coupled to the processor for communicating an output;

a communications subsystem coupled to the at least one processor for communicating with the wireless network;

a memory coupled to the at least one processor;

a storage device coupled to the at least one processor; and

a user interface for controlling the operations of the wireless communications device, the user interface configured to provide at least one main screen adapted for invoking a plurality of applications, the plurality of applications comprising applications for controlling the at least two communications capabilities, the user interface further including a component to compose a destination for an outgoing communication generated by the device, said component providing simultaneously together:

a prompt defining a field for receiving the destination as text; and

a hot list of candidate destinations selectable at the user interface and usable as the destination[.];

wherein the ~~user interface comprises a~~ at least one main ~~home~~ screen comprises ~~component, having~~ an application portion displaying one or more

application icons operable to invoke the plurality of applications for activating  
~~associated applications~~ and a mobile status portion, and wherein the  
component to compose a destination is invokable from the main home screen  
~~component~~ manually by activating a communication application icon and  
automatically in response to an input from the first input device of a portion of  
the destination.

2. **(Previously Amended)** The wireless communications device of claim 1, wherein the first input device is a key-based input device to input the destination.

3. **(Cancelled)**

4. **(Previously Amended)** The wireless communications device of claim 1 wherein the destination is a telephone number to be called and the input is a portion of a telephone number.

5. **(Previously Amended)** The wireless communications device of claim 1 wherein the portion of the destination populates the prompt when the component to compose a destination is invoked.

6. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is invokable in response to at least one of: an interaction with a home screen component of the user interface from which to invoke a feature from among a plurality of features provided by the wireless communications device; and an auxiliary input device.

7. **(Previously Amended)** The wireless communications device of claim 1 wherein the component to compose a destination is further invokable in response to at least one of: an interaction with the home screen component of the user interface; and an auxiliary input device.

8. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is enabled to move between the prompt and hot list.

9. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is adapted to provide a filtered list of destinations from a store of

destinations on the device in response to a filter input received at the user interface, said filtered list selectable at the user interface to choose a destination.

10. **(Original)** The wireless communications device of claim 1 wherein the prompt is adapted to permit navigating and changing the destination while composing.

11. **(Original)** The wireless communications device of claim 1 wherein the component to compose a destination is adapted to provide at least one action button for terminating composition of the destination.

12. **(Currently Amended)** In a wireless communications device comprising at least two distinct communications capabilities configured for use in a wireless network, a method for composing a destination for an outgoing communication generated by the device comprising:

providing a main ~~home~~ screen ~~having~~ comprising an application portion displaying one or more application icons operable to invoke a plurality of applications, the plurality of applications comprising applications for controlling the at least two distinct communications capabilities, for activating associated applications and a mobile status portion, ~~the home screen for invoking a feature from among a plurality of features provided by the wireless communications device, the applications one or more sub-screens comprising a composition screen, the one or more application icons comprising a communication application icon for invoking the composition screen;~~

invoking the composition screen from the ~~home~~ main screen automatically in response to input of a portion of the destination;

providing the composition screen;

providing, simultaneously with the composition screen, a prompt defining a field for receiving the destination as text; and

providing, simultaneously with the composition screen, a hot list for selecting the destination, the hot list comprising candidate destinations selectable as destinations.

13. **(Original)** The method of claim 12 including:

receiving the destination using the prompt in response to a key-based input.

14. **(Cancelled)**

15. **(Previously Amended)** The method of claim 12 wherein the destination is a telephone number to be called.

16. **(Previously Amended)** The method of claim 12 comprising populating the prompt with the portion of the destination.

17. **(Cancelled)**

18. **(Original)** The method of claim 12 comprising moving between the prompt and hot list in response to navigation about the composition screen.

19. **(Original)** The method of claim 18 comprising receiving the destination selected from the hotlist and generating the outgoing communication in response.

20. **(Original)** The method of claim 13 comprising providing a filtered list of destinations from a store of destinations on the wireless communications device in response to a filter input at the user interface, said filtered list selectable to choose the destination.

21. **(Original)** The method of claim 12 comprising receiving the destination and generating the outgoing communication in response.

22. **(Original)** The method of claim 12 comprising providing a cursor adapted for use in navigating and changing the destination while composing.

23. **(Original)** The method of claim 12 comprising providing at least one action button for terminating composition of the destination.

24. **(Currently Amended)** A computer program product having a computer readable medium tangibly embodying computer executable code stored thereon for composing a destination for an outgoing communication generated by a wireless communications device comprising at least two distinct communications capabilities for use in a wireless network, said computer program product comprising:

code for providing a main ~~home~~ screen ~~having comprising~~ an application portion displaying one or more application icons operable to invoke a plurality of applications, the plurality of applications comprising applications for controlling the at least two distinct communications capabilities, for activating associated applications and a mobile status portion, ~~the home screen for invoking a feature from among a plurality of features provided by the wireless communications device, the applications one or more sub-screens comprising a composition screen, the one or more application icons comprising a communication application icon for invoking the composition screen;~~

code for invoking the composition screen from the ~~home~~ main screen ~~component~~ automatically in response to an input from an input device of a portion of the destination; and

code for the composition screen providing simultaneously together:

a prompt defining a field for receiving the destination as text;

a hot list usable for selecting the destination, the hot list comprising candidate destinations usable as the destination.

25. **(New)** The wireless communications device of claim 1, wherein the at least two distinct communications capabilities comprise a voice capability and a non-voice capability.

26. **(New)** The method of claim 12, wherein the at least two distinct communications capabilities comprise a voice capability and a non-voice capability.